



PAR30 100 LEDs

\$23 usd



PAR38 120 LEDs

\$26 usd



S960 9W CW-WW

36usd



S66066D 6W CW-WW

17.5usd




60cm 70\$ usd 120cm 95\$



rgb dmx led tubes

\$67 usd



LED PLATE 6W CW-WW

12-24 V AC-DC 45X 5050 LED

\$40 cad










LED BARS

RGB 3\$CH SINGLE 2,60\$

box of 50 \$3usd

box of 50 \$6usd

Part No	Picture	No of LED	COLOR	Operating Voltage	Wattage	Intensity Per LED (mcd)	Viewing Angle	Packing	Product Size
Q40E27		12	Red	110V/220V	0.5W	150-300	120°±2°	Colour Box	Φ40*69.5
			Yellow	110V/220V	0.5W	200-300	120°±2°	Colour Box	
			Blue	110V/220V	0.5W	350-700	120°±2°	Colour Box	
			Green	110V/220V	0.5W	1000-2000	120°±2°	Colour Box	
			White	110V/220V	0.5W	1000-1200	120°±2°	Colour Box	
			Warm White	110V/220V	0.5W	800-1000	120°±2°	Colour Box	
		12	White	110V/220V	0.5W	2200-2500	120°±2°	Colour Box	
			Warm White	110V/220V	0.5W	2000-2200	120°±2°	Colour Box	
Q40E27		12	Red	110V/220V	0.5W	150-300	120°±2°	Colour Box	Φ40*61
			Yellow	110V/220V	0.5W	200-300	120°±2°	Colour Box	
			Blue	110V/220V	0.5W	350-700	120°±2°	Colour Box	
			Green	110V/220V	0.5W	1000-2000	120°±2°	Colour Box	
			White	110V/220V	0.5W	1000-1200	120°±2°	Colour Box	
			Warm White	110V/220V	0.5W	800-1000	120°±2°	Colour Box	
		12	White	110V/220V	0.5W	2200-2500	120°±2°	Colour Box	
			Warm White	110V/220V	0.5W	2000-2200	120°±2°	Colour Box	
Q40E17		12	Red	110V/220V	0.5W	150-300	120°±2°	Colour Box	Φ40*73.5
			Yellow	110V/220V	0.5W	200-300	120°±2°	Colour Box	
			Blue	110V/220V	0.5W	350-700	120°±2°	Colour Box	
			Green	110V/220V	0.5W	1000-2000	120°±2°	Colour Box	
			White	110V/220V	0.5W	1000-1200	120°±2°	Colour Box	
			Warm White	110V/220V	0.5W	800-1000	120°±2°	Colour Box	
		12	White	110V/220V	0.5W	2200-2500	120°±2°	Colour Box	
			Warm White	110V/220V	0.5W	2000-2200	120°±2°	Colour Box	
Q40E14		12	Red	110V/220V	0.5W	150-300	120°±2°	Colour Box	Φ40*78.5
			Yellow	110V/220V	0.5W	200-300	120°±2°	Colour Box	
			Blue	110V/220V	0.5W	350-700	120°±2°	Colour Box	
			Green	110V/220V	0.5W	1000-2000	120°±2°	Colour Box	
			White	110V/220V	0.5W	1000-1200	120°±2°	Colour Box	
			Warm White	110V/220V	0.5W	800-1000	120°±2°	Colour Box	
		12	White	110V/220V	0.5W	2200-2500	120°±2°	Colour Box	
			Warm White	110V/220V	0.5W	2000-2200	120°±2°	Colour Box	
Q40E12		12	Red	110V/220V	0.5W	150-300	120°±2°	Colour Box	Φ40*73
			Yellow	110V/220V	0.5W	200-300	120°±2°	Colour Box	
			Blue	110V/220V	0.5W	350-700	120°±2°	Colour Box	
			Green	110V/220V	0.5W	1000-2000	120°±2°	Colour Box	
			White	110V/220V	0.5W	1000-1200	120°±2°	Colour Box	
			Warm White	110V/220V	0.5W	800-1000	120°±2°	Colour Box	
		12	White	110V/220V	0.5W	2200-2500	120°±2°	Colour Box	
			Warm White	110V/220V	0.5W	2000-2200	120°±2°	Colour Box	




STRIP WATER PROOF

white - warm white 150\$ cad 5M

RGB 150 led 5M

\$175 cad



STRIP DMX RUNNING RGB

DMX 512, DEDICATED CONTROLLER

5M

\$285 cad



White	<input type="checkbox"/>
Warm White	<input type="checkbox"/>
Red	<input type="checkbox"/>
Green	<input type="checkbox"/>
Blue	<input type="checkbox"/>
Yellow	<input type="checkbox"/>

ROPE LEDS

SINGLE 140/5M RGB 260/5M



Superbright LED Light Panel 600*600mm, White
 Input Voltage:100V-240V/50Hz/60Hz,
 LED quantity:896pcs superbright SMD LED, 120
 degree beam angle, Luminous flux: 4200lm,
 CT: 6000-6500K, 56W
 Life Span: 50000 hours,
 with RF remote dimmer

TILE 60X60 CW


357 usd



Superbright LED Light Panel 600*600mm, Warm
 White, Input Voltage:100V-240V/50Hz/60Hz,
 LED quantity: 896pcs superbright SMD LED,
 120degree beam angle, Luminous flux: 3390lm,
 CT: 2700-3300K, 56W
 Life Span: 50000 hours,
 with RF remote dimmer

TILE 60X60 WW

357 usd



Superbright LED Light Panel, 300*300mm, White,
 Input Voltage:100V-240V/50Hz/60Hz,
 LED quantity: 210pcs superbright SMD LED, 120
 degree beam angle, Luminous flux:1050lm
 CT: 6000-6500K, 14W
 Life Span:50000 hours,
 with RF remote dimmer

TILE 30X30 CW, WW

126 usd

Superbright LED Light Panel, 300*300mm, Warm
 White, Input Voltage:100V-240V/50Hz/60Hz,
 LED quantity: 210pcs superbright SMD LED, 120
 degree beam angle, Luminous flux:997lm,
 CT: 2700-3300K, 14W
 Life Span:50000 hours,
 with RF remote dimmer



ROSES: WHITE, PINK, RED

7 COLOR LEE200 MIN

2.6 usd